

Corrections for the TNCC 6th Edition Provider Manual

Listed below are the corrections (erratas and typographical errors) we have identified in the TNCC 6th edition Provider Manual. If you have any questions regarding these or other identified changes, please contact ENA at 1-800-900-9659 ext. 4123.

Errata or Typo	Page	Location	Current	Change to
Typo	x	Q 12 1st line	"unconsciousness"	Change to "unconscious"
	xi	Q 17	Delete current question	Change to "If peripheral venous access cannot be readily established in a pediatric trauma patient in shock, the nurse should:"
Errata	1	Introduction, 3rd line	"...fifth leading cause ..."	Change to "... <u>first</u> leading cause ..."
Typo	3	2nd column, last line	"...demonstrate of all critical criteria..."	Delete "of"
Errata	9	2nd column, 3rd paragraph, 5th line	"...unintentional trauma"	Change to "...intentional trauma"
Errata	36	1st column, 2nd line	"... late signs of airway..."	Change "airway" to "breathing"
Errata	37	1st column, 14th bullet	"Intraosseous needles may be used for access in the sternum or legs if ..."	Change to "Intraosseous needles may be used for access in the sternum, legs, arms, or pelvis if ..."
Errata	37	2nd column, last bullet, 9th line	"...performed during the primary assessment."	Change "primary" to "initial"
Errata	37	2nd column, last bullet, 11th line	"Table 13-2"	Change to "Table 13-3"
Typo	38	1st column, 1st bullet	Second level bullet under Glasgow Coma Scale bullet	Should be first level bullet under Assessment heading
Typo	41	1st column, 1st paragraph, 7th line	Regular "10"	Should be superscript "10"
Typo	41	Box 3-1, last bullet		Add question mark to end on last bullet
Typo	47	Box 3-2		Add question mark to the end of each bullet
Errata	59	1st column, 2nd paragraph, 10th line	"...of the sympathetic nervous system increasing the patient's blood pressure and heart rate."	Change to "...of the parasympathetic nervous system increasing the patient's blood pressure and decreasing the heart rate."
Typo	68	1st column, 1st bullet	"C detector"	Change to "CO2 detector"
Errata	69	1st column, last bullet	"... retractions in pediatric patients may not be a sign..."	Delete "not"
Errata	86	1st column, 1st bullet, 5th line	"0.5 ml/kg/hr"	"1 ml/kg/hr"
Typo	92	Figure 6-1, both views	"Ethnoid"	"Ethmoid"

Corrections for the TNCC 6th Edition Provider Manual

Errata	95	2nd column, 7th line	"...increase in systolic blood pressure, a widening pulse pressure, and a reflex bradycardia."	Change to "...increase in systolic blood pressure, a widening pulse pressure, a reflex bradycardia, and diminished respiratory effort."
Typo	97	2nd column, just above "Herniation Syndromes"	Regular "1,3,21"	Should be superscript
Errata	99	2nd column, Focal Brain Injury heading	Focal Brain Injury level under Diffuse Brain Injuries	Should be the same heading level as Diffuse Brain Injuries and Cerebral Contusions and the Hematomas come under that
Typo	118	Table 7-1, Vagus - Function, 2nd bullet	Parasympathetic "neck"	Should be parasympathetic "nerve"
Errata	119	2nd column, 1st paragraph, 5th line	"Intraocular hemorrhage is the most common finding in pediatric head trauma patients, often in association with a subdural hemorrhage."	Change to "Intraocular hemorrhage is a common finding in pediatric head trauma patients with shaken baby syndrome."
Errata	125	2nd column, 7th bullet, 4th line	"...sheild or paper cup."	Delete "or paper cup"
Typo	140	2nd column, 1st paragraph - italics - last line	"...patients with thoracic or neck injuries ..."	Delete " or neck" - should read "...patients with thoracic neck injuries ..."
Errata	203	1st column, under Palpation, last bullet	Passive/active range of motion: Palpate and assess for full range of motion for all extremities.:	Change to " Pressure: Palpate the extremity for firmness of compartments and muscle spasm." Delete next line. Move description for passive ROM to "Paralysis"
Typo	203	2nd column, Wound Preparation, 2nd bullet, 4th line	"4~4"	Should be "4 X 4"
Errata	204	2nd column, Aftercare/Follow-Up Regimen, Tetanus Admin, 1st bullet		Add line to end "Please check the CDC website at www.cdc.gov for the most current recommendations for tetanus administration."
Errata	228	2nd column, first bullet, 2nd line	"... count back 3 months from the last day of the LNMP ..."	Change to "... count back 3 months from the <u>first</u> day of the LNMP..."
Errata	239	Appendix 13-1, Circulation - Pediatric, 7th pargraph	"If peripheral venous access cannot be established within three attempts or 90 seconds, initiate..."	Change to "If peripheral venous access cannot be readily established in a patient in shock, initiate ..."
Errata	252	2nd column, 2nd paragraph, 3rd line	"...accumulation of AChE at neuromuscular ..."	Delete "AChE" and insert "acetylcholine"

Corrections for the TNCC 6th Edition Provider Manual

Errata	253	Table 14-2, Blood Agents, Treatment, 3rd bullet		Add "Hydroxocobolamin" after "sodium nitrate"
Type	254	Table 14-4 title	".../New Agent Exposure"	Change to ".../Nerve Agent Exposure"
Errata	256	Table 14-7, Emergency Treatment		Add 3rd bullet, "New antidote approved in 2007 is intravenous infusion of hydroxocobalamin (Cyanokit®)"
	264	Figure 14-1		Will replace the HEICS algorithm with the new HICS algorithm in the next printing.
Errata	266	Figure 14-2		Add "NO" to right of arrow going from "Can patient walk?" to "Is patient breathing?"
Errata	270	2nd column, Patient C		Add "An <u>unresponsive</u> , elderly patient ..."
Errata	271	1st column, Patient D		Add at end, "distal pulses intact"
Errata	288	Table 16-2, Comorbid Factors	"Children greater than or equal..."	Should be "less than or equal"
Errata	288	Table 16-2, Comorbid Factors		Will replace table to use the same table as 3-2 in the next printing - will correct the above Errata
Errata	291	2nd column, last bullet	"Staffing ratios"	Change to "Staffing needs"
Errata	296	2nd column, 1st paragraph, 1st sentence	"The double-starred (**) steps must be demonstrated during the primary assessment."	Add "...must be demonstrated <u>in order</u> during..."
Errata	303	#5, Instructor Responses, 3rd bullet	"Exhaled CO2 detector changes color;..."	Change to "Exhaled CO2 detector color change confirms placement; ..."
Errata	303	#12, Instructor Responses	"Unresponsive"	Change to "Now responsive to pain"
Errata	305	Demonstrated Yes/No #39		Add single (*) in Yes column
Errata	317	#39	"Bag hands for forensic evidence"	Add after "Bag hands for forensic evidence - <u>do not wash hands</u> "
Errata	322	#3, Skin Color, Instructor Responses		Delete "Cool, dry" in Instructor Responses
Errata	322	#5, Instructor Responses	"Pulses present both centrally and peripherally"	Change to "Pulses present and rapid, centrally and peripherally"
Errata	331	Skill Steps, #5	"States need to insert oral ..."	Add "States need to <u>measure and</u> insert oral ..."
Errata	332	Instructor Responses, #7, 3rd bullet	"Exhaled CO2 detector changes color;..."	Change to "Exhaled CO2 detector color change confirms placement;..."

Corrections for the TNCC 6th Edition Provider Manual

Errata	338	2nd column, #2,c., end of paragraph		Add "Many detectors change to:"
Errata	340	1st column, l., 1. e. last sentence	"Decompress the stomach by placing a suction catheter..."	Change to "Decompress the stomach by placing a gastric tube ..."
Errata	342	1st column, i., 4)	"...>1500 ml or there is continued blood loss > 220 ml/hr"	Change to "...>1000 ml or there is continued blood loss of > 200 ml/hr for 3 - 4 hours."
Typo	346	Skill Steps, #10, 2nd bullet)	Change ") " after Combitude to larger font_
Errata	347	Focus of the teaching station		Add "and position" after "Endotracheal tube patency"
Errata	349	Instructor Responses, #3, 3rd bullet	"Exhaled CO2 detector changes color;..."	Change to "Exhaled CO2 detector color change confirms placement"
Errata	351	Patient Information, 1st column, 7th line		Add after "The cervical spine has been cleared. <u>Oxygen via nonrebreather mask is being administered.</u> "
Errata	354	1st column, c., 9)	Hypertension	Should be Hypotension
Errata	354	2nd column, III., A., 1.	Delete 1st line.	Change to "Leader approaches the patient and initiates cervical spine protection by placing one hand on the mandible (chin) and the other under the occiput."
Errata	355	1st column, #6, 3rd line	"... is maintained throughout the procedure."	Add "...is maintained throughout the <u>removal</u> procedure."
Typo	356	1st column, #9.	"Contradictions ..."	Should be "Contraindications ..."
Errata	358	Prehospital MIVT Report, 1st column, 3rd line	"He is immobilized on a ..."	Delete "immobilized"
Typo	358	Checklist	"Skill Steps" heading	Change to "Skill Steps - Leader"
Typo	358	#6	"Leader positions ..."	Change to "Positions ..."
Typo	358	#8	"Leader then assumes ..."	Change to "Assumes ..."
Typo	358	#9 & #10	"Leader directs ..."	Change to "Directs ..."